

**Sanitary Sewer Overflow Initiative
City-wide Hydraulic Model
Temporary Flow Monitoring Final Report
Phase 2 - Allison, Laguna Madre and Whitecap Service Areas**

**Department of Engineering Services
Professional Engineering Services Project No.: E10015**



**City of Corpus Christi
Wastewater Department**

I certify that this report was prepared under my direct supervision and that I am a duly licensed Professional Engineer under the laws of the State of Texas.

Mattie A. Engels, P.E.
License No.107277

*Pipeline Analysis, LLC
Texas Registered Engineering Firm
Reg. No.: F-006538*

February 2014

DRAFT REPORT

Submitted by:



TABLE OF CONTENTS

SECTION

I.	Introduction	1
II.	Flow Data Analysis	9
III.	Priority Ranking of Basins	28
IV.	Conclusions and Recommendations	33

LIST OF FIGURES

1	Wastewater Collection System	2
2	Laguna Flow Meter Schematic Diagram	5
3	Whitecap Flow Meter Schematic Diagram	6
4	Allison Flow Meter Schematic Diagram	7
5	Rainfall Summary	10
6	Wet Weather Flow (Whitecap 013)	15
7	RDII Priority Ranking of Laguna Meter Basins	19
8	RDII Priority Ranking of Whitecap Meter Basins	20
9	RDII Priority Ranking of Allison Meter Basins	21
10	Laguna Peak Flow Rates – Dry vs. Wet Weather Comparison	22
11	Whitecap Peak Flow Rates – Dry vs. Wet Weather Comparison	23
12	Allison Peak Flow Rates – Dry vs. Wet Weather Comparison	24
13	Rainfall Distribution – Laguna Madre September 16, 2012	26
14	Rainfall Distribution – Allison September 28-29, 2012	27
15	Laguna RDII Distribution by Priority	30
16	Whitecap RDII Distribution by Priority	31
17	Allison RDII Distribution by Priority	32

LIST OF TABLES

1	Collection System Inventory	3
2	Wastewater Flow Meter Locations	8
3	Laguna Dry Weather Flow Summary	11
4	Whitecap Dry Weather Flow Summary	12
5	Allison Dry Weather Flow Summary	13
6	Laguna Wet Weather Flow Summary	16
7	Whitecap Wet Weather Flow Summary	17
8	Allison Wet Weather Flow Summary	18
9	Ranking of Laguna Basins	28
10	Ranking of Whitecap Basins	29
11	Ranking of Allison Basins	29

APPENDIX

Meter Site Summary Data

Photographs

Location Map

Flow Hydrographs

Rain Gauge Summary Data

Report CD-ROM

I. Introduction

This report presents the temporary flow monitoring of portions of the Corpus Christi wastewater collection system during the period September 5 through November 28, 2012 and April 15 through July 11, 2013. Drainage areas monitored included the Laguna, Whitecap and Allison service areas.

Figure 1 and Table 1 present a summary of the Corpus Christi wastewater collection system assets. The Corpus Christi wastewater collection system currently consists of 1,122 miles (5,924,393 linear feet) of gravity sewers. Stretched end to end the underground sewers would reach from Corpus Christi to Chicago, Illinois. Note that 6-inch pipes account for 7.5% of the total system while 8-inch pipes account for 66.7% of the total system.

The purpose of this project was to establish current dry and wet weather flows at key locations within the City. Future use for this data will include the calibration of a hydraulic model of the collection system and the prioritization of areas for infiltration/inflow testing and evaluation. The flow data included in this report will be used to benchmark the reduction in wet weather infiltration/inflow within the collection system. By comparing this flow data to future flows following rehabilitation will establish the effectiveness of repairs.

Figure 1
Wastewater Collection System





Table 1
Collection System Inventory by
Pipe Size and Service Area

Pipe Diameter	SERVICE AREA						Total	Percent
	OSO	GREENWOOD	ALLISON	BROADWAY	LAGUNA	WHITECAP		
6"	148,519	49,173	5,761	237,126	1,312	260	442,150	7.5%
8"	1,808,680	745,602	481,927	395,711	285,826	236,234	3,953,980	66.7%
10"	251,755	101,865	62,137	86,062	55,221	23,835	580,875	9.8%
12"	157,156	89,658	25,073	39,008	20,692	2,174	333,761	5.6%
14"	98	601	242	413			1,355	0.0%
15"	56,917	31,291	24,255	24,276	14,752	4,852	156,343	2.6%
16"	12,226	5,962	784	-			18,972	0.3%
18"	34,560	16,965	19,979	10,577	8,085	4,249	94,415	1.6%
20"	383	10,546	890				11,819	0.2%
21"	29,195	3,158	237	7,684	564	1,598	42,437	0.7%
24"	53,428	11,745	6,358	23,650	1,356		96,537	1.6%
27"	8,513		8,119	6,281			22,914	0.4%
30"	2,045	20,576	9,520	1,101		2,426	35,669	0.6%
36"	28,215	2,850	2,117	13,018		3,801	50,000	0.8%
42"	40,585	8,364		5,363			54,312	0.9%
48"	5,255	6,674		2,666	140		14,736	0.2%
54"		4,554					4,554	0.1%
60"		9,219					9,219	0.2%
72"	345						345	0.0%
Feet	2,637,875	1,118,804	647,400	852,936	387,948	279,431	5,924,393	100.0%
Miles	500	212	123	162	73	53	1122	100.0%

Data Source: Wastewater Department GIS Asset Database

Pipe Type	OSO	GREENWOOD	ALLISON	BROADWAY	LAGUNA	WHITECAP	Total	% of Total
CIPP	96,086	56,855	3,679	48,560	386	-	205,566	3%
PVC	523,806	159,949	95,908	22,543	34,169	22,055	858,430	14%
VCP	1,832,131	860,560	540,865	722,380	326,070	252,042	4,534,048	77%
Other	185,852	41,440	6,947	59,453	27,323	5,334	326,349	6%
Total	2,637,875	1,118,804	647,399	852,936	387,948	279,431	5,924,393	100%

CIPP-Cured in Place and Lined Pipe


PVC- Polyvinyl Chloride Pipe

VCP-Vitrified Clay Pipe

Figures 2-4 present wastewater schematic diagrams that graphically represent the association between each flow meter placed in the collection system. This flow monitoring study consisted of twenty-seven (27) meter sites. The flow meter sites determine the boundary and resulting linear feet of sewer within each monitored area.

To determine the individual flow from Laguna Basin 007 (known as discrete flow), one must take the data recorded by meter 007 (known as cumulative flow) and subtract the data from meter 006. Discrete flow is used to determine the ranking of each metered basin and the individual wastewater contribution by area. Table 2 lists the flow meter installations. Site installation map, photographs and summary hydrographs are presented in the Appendix for each meter site.


Figure 2
Laguna Flow Meter Schematic Diagram



1101	Jamaica	2092 Jamaica
1059	Turtle Cove	9547 blue Jay Street
1058	Travel Trailer	9441 S.P.I.D.
1086	Flour Bluff	1720 Flour Bluff Drive
1064	Retta Place	2443 Vialoux Drive
1062	Waldron Rd.	1350 Waldron Road
1063	Purdue	630 Purdue Road
1060	Military/Jester	722 Jester Street
1005	Laguna Madre WWTP	201 Jester
1088	Gateway Park	1143 Laguna Shores Drive
1007	Laguna Shores	2902 Laguna Shores Drive
1065	Riviera	138 Riviera Road
1066	Rex	4046 Whitley Drive

- Rain Gauge
- Lift Station
- Gravity Flow Meter
- Unmetered Area

Figure 3
Whitecap Flow Meter Schematic Diagram



1067	Kennedy Causeway	13301 S.P.I.D.
1068	Seahorse	14300 Dorsel Street
1070	Swordfish	14500 Swordfish Street
1069	Jackfish	14124 Jackfish Street
1095	Verdemar	14501 Verdemar Street
1084	Park Road 53	11125 Park Road 53
1071	Tesoro	13618 Port Royal Ct.
1006	Whitecap WWTP	13409 Whitecap Blvd.
1072	Aquarius	15000 Aquarius Street
1075	Cumana	15600 Cumana Street
1092	Coquina Bay	13921 Sea Pines Blvd.
1091	Sea Pines	14192 Sea Pines Blvd.
1074	Gypsy	15601 Gypsy Street
1073	Padre Island Section 4	14201 Whitecap Blvd.
1089	Lake Padre South	14501 Whitecap Blvd.
1085	Leeward	14865 Runninglight Drive
1010	Zahn	125 Zahn Road





Figure 4
Allison Flow Meter Schematic Diagram



1019	Wood River	4601 Spring Creek Drive
1020	River Canyon	13842 River Ridge Drive
1082	Cynthia	5210 Cynthia Street
1078	Ramos	4810 Ramos
1077	Sharpsburg	4412 Sharpsburg Road
1021	Up River Road	12510 Up River Road
1046	Highway 77	3386 County Road 52
1022	Nueces Acres	11501 Haven Drive
1004	Allison WWTP	4101 Allison Drive
1098	Allison (L.S.)	4101 Allison Drive
1023	Solar Estates	9201 Moonlight Street
1024	Clarkwood North	2001 Clarkwood Road
1027	Stillwell	8100 Stillwell Lane
1094	DeDietrich	150 McKenzie Road
1076	Northwest Crossing	1921 Oregon Trail
1025	Clarkwood South	1025 Clarkwood Road
1035	Lakes Northwest	3614 Perfection Lake




Table 2
Wastewater Flow Meter Locations

FLOW METER	MH NUMBER / Map Page	Pipe Size
Laguna 001	112161900	18
Laguna 003	112120850	15
Laguna 004	103050240	12
Laguna 005	102152810	15
Laguna 006	103130350	'15
Laguna 007	103130170	24
Laguna 008	103101930	15
Laguna 009	112081050	12
Laguna 010	113050150	12
Laguna 011	103100970	12
Laguna 012	112031040	8
Whitecap 013	124070410	18
Whitecap 014	124070590	8
Whitecap 015	124062430	18
Whitecap 016	124052400	36
Whitecap 017	124023780	18
Whitecap 018	114141800	8
Whitecap 019	124041000	21
Whitecap 020	124106340	8
Allison 021	057050161	27
Allison 022	057010020	27
Allison 023	056120670	24
Allison 024	056010150	24
Allison 025	045160410	24
Allison 026	046150010	30
Allison 027	055010010	18
Allison 028	056051270	18

II. Flow Data Analysis

Wastewater flow data was obtained from the twenty-seven (27) temporary flow meters in order to establish flow hydraulics at key locations within the collection system. The temporary flow meters used were Sigma Model 910 area/velocity flow meters and Sigma tipping bucket rainfall gauges manufactured by HACH. For analysis, rainfall totals from twelve (12) temporary rainfall gauges were evaluated. Storm events were investigated to establish the Rainfall Dependent Infiltration/Inflow (RDII). The normal rainfall totals are presented graphically in Figure 5. Normal annual rainfall is 30.13 inches. Corpus Christi recorded an average of 4.25 inches during the monitoring period September 5 through November 28, 2012 and 4.89 inches during the monitoring period April 15 through July 11, 2013. The normal historical rainfall during this period would be expected to be approximately 10.1 inches during the 2012 monitoring and 8.8 inches during the 2013 monitoring. The average rainfall was approximately 42% of normal for 2012 and 56% of normal for 2013.


Each meter was field calibrated prior to installation. Calibration of each meter is a simple procedure consisting of independent verification of the depth of flow and velocity. The flow sensors were secured to a steel mounting band that fits securely in the pipeline. The data logger for each site was installed in the top of each metering manhole and the meter was activated at user defined sampling intervals, typically 15 minutes. Routine maintenance and service was undertaken weekly to confirm normal operation.



Typical Flow Meter Installation



Figure 5
Rainfall Summary



Dry Weather Results

Total daily wastewater volume during dry weather was determined from analysis of the dry weather period. These days were representative of dry weather flow conditions with low groundwater potential. Dry weather data for each metering site is summarized in Tables 3-5. Silt was present at ten of the meter locations, with the worst observed deposition being present in the Laguna Madre basin. Scouring velocity is not adequate and capacity of the sewer lines is reduced by this deposition. Dry weather surcharge was observed at sites Laguna 004, 008 and 009, Whitecap 014, 015 and Allison 026.

The ratio of peak recorded liquid depth (includes debris depth) to the pipeline diameter (d/D) provides a method to gauge the capacity of the pipeline being utilized during dry weather. When the d/D ratio exceeds 50%, then the pipeline is over half full. Laguna sites 001, 003, 004, 006, 008, 009, 011 and 012 were observed to exceed a d/D of 50% during peak dry weather conditions. Whitecap sites 014, 015, 005, 016, 018, 019 and 020 were observed to exceed a d/D of 50% during peak dry weather conditions. Allison sites 022 and 026 were observed to exceed a d/D of 50% during peak dry weather conditions.

Table 3
Laguna Dry Weather Summary

DESCRIPTION/SITE	Site 001	Site 003	Site 004	Site 005	Site 006	Site 007	Site 008	Site 009	Site 010
Dry Weather Period	10/17 - 10/23	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27
Daily Average Flow (mgd)	0.35	0.14	0.08	0.22	0.10	0.30	0.04	0.38	0.07
Discrete Daily Average Flow (mgd)	0.35	0.14	0.08	0.22	0.10	0.20	0.04	0.38	0.07
Minimum Flow (mgd)	0.14	0.09	0.00	0.13	0.00	0.21	0.00	0.13	0.00
Maximum Flow (mgd)	0.61	0.21	0.19	0.42	0.26	0.40	0.94	0.74	0.25
Peaking Ratio	1.76	1.49	2.30	1.90	2.56	1.33	25.55	1.93	3.75
Pipe Diameter (in)	18	15	12	15	15	24	15	12	12
Daily Average Level (in)	9.90	8.78	11.38	4.37	9.07	9.03	13.61	8.27	2.16
Minimum Level (in)	8.86	7.75	9.31	3.36	8.31	8.16	10.93	6.31	0.90
Maximum Level (in)	11.23	10.14	14.20	6.18	10.03	9.87	20.16	30.79	4.10
Peak Flow Depth/Diameter	62%	68%	118%	41%	67%	41%	134%	257%	34%
Average Silt Level (in)	3.5	6	6	0	5	5	5.5	0	0
Daily Average Velocity (fps)	0.71	0.65	0.35	0.81	0.36	0.88	sensor fouled	1.08	0.85

DESCRIPTION/SITE	Site 011	Site 012
Dry Weather Period	10/21 - 10/27	10/21 - 10/27
Daily Average Flow (mgd)	0.07	0.04
Discrete Daily Average Flow (mgd)	0.07	0.04
Minimum Flow (mgd)	0.05	0.00
Maximum Flow (mgd)	0.11	0.29
Peaking Ratio	1.47	7.58
Pipe Diameter (in)	12	12
Daily Average Level (in)	5.40	2.67
Minimum Level (in)	4.50	0.38
Maximum Level (in)	6.58	8.31
Peak Flow Depth/Diameter	55%	69%
Average Silt Level (in)	2	0
Daily Average Velocity (fps)	sensor fouled	1.10

Table 4
Whitecap Dry Weather Summary

DESCRIPTION/SITE	Site 013	Site 014	Site 015	Site 016	Site 017	Site 018	Site 019	Site 020
Dry Weather Period	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27
Daily Average Flow (mgd)	0.27	0.08	0.12	1.42	0.16	0.06	0.63	0.01
Discrete Daily Average Flow (mgd)	0.27	0.07	0.12	0.27	0.11	0.06	0.63	0.01
Minimum Flow (mgd)	0.10	0.03	0.00	0.51	0.06	0.04	0.04	0.00
Maximum Flow (mgd)	0.72	0.14	0.71	2.41	0.29	0.08	0.97	0.41
Peaking Ratio	2.66	1.76	5.77	1.69	1.79	1.44	1.54	28.67
Pipe Diameter (in)	18	8	18	36	18	8	21	8
Daily Average Level (in)	5.08	4.56	13.76	19.88	3.51	5.19	11.91	11.71
Minimum Level (in)	3.73	2.54	9.93	17.66	2.19	3.89	2.66	2.81
Maximum Level (in)	8.30	8.11	38.03	21.51	4.73	6.40	16.26	21.27
Peak Flow Depth/Diameter	46%	101%	211%	60%	26%	80%	77%	266%
Average Silt Level (in)	0	0	9	8	0	0	0	0
Daily Average Velocity (fps)	1.01	0.35	0.30	1.48	1.09	sensor fouled	0.15	0.09

Table 5
Allison Dry Weather Summary

DESCRIPTION/SITE	Site 021	Site 022	Site 023	Site 024	Site 025	Site 026	Site 027	Site 028
Dry Weather Period	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/21 - 10/27	10/17 - 10/23	10/21 - 10/27	10/21 - 10/27
Daily/Average Flow (mgd)	1.51	1.80	0.21	0.38	0.32	0.44	0.06	0.19
Discrete Daily Average Flow (mgd)	1.30	0.30	0.21	0.19	0.26	0.06	0.06	0.19
Minimum Flow (mgd)	0.65	0.59	0.05	0.10	0.07	0.00	0.01	0.06
Maximum Flow (mgd)	2.48	3.16	0.46	0.80	0.62	1.96	0.19	0.40
Peaking Ratio	1.64	1.75	2.20	2.11	1.94	4.51	3.07	2.16
Pipe Diameter (in)	27	27	24	24	24	30	18	18
Daily Average Level (in)	4.16	11.27	3.12	3.71	3.88	37.18	1.77	3.32
Minimum Level (in)	2.59	7.13	1.97	2.32	1.90	26.67	1.05	2.22
Maximum Level (in)	5.37	19.62	4.40	5.05	5.17	48.13	2.85	5.10
Peak Flow Depth/Diameter	20%	73%	18%	21%	22%	160%	16%	28%
Average Silt Level (in)	0	0	0	0	0	10.5	0	0
Daily Average Velocity (fps)	5.90	1.82	1.29	1.82	1.45	0.20	0.97	1.24

Wet Weather Results

For the 2012 monitoring period, rainfall was recorded at twelve (12) gauging sites with two major storm events that averaged 0.67 inches and 1.90 inches. Three major storm events were recorded during the 2013 monitoring period averaging 2.33 inches, 1.55 inches and 1.78 inches. One localized storm was also recorded June 7th and used in analysis where applicable. Figure 6 presents data from Site 013 located in the Whitecap Service Area. The storm event of September 28 and 29, 2012 shows the increase in wastewater flow due primarily to Rainfall Dependent Infiltration/Inflow (RDII). The high peak flows are a characteristic of wet weather inflow.

The wet weather analysis summarizes the system responses observed during the wet weather periods. The analysis computes the volume of wet weather I/I, also known as rainfall dependent I/I (RDII), which entered the collection system during the storm. Tables 6-8 present a summary of the wet weather system response and compares this response to dry weather conditions. From this data, the discrete RDII was calculated for the storm event. The total discrete RDII for each meter basin was normalized using the average rainfall which established the rainfall dependent infiltration/inflow volume per inch of rainfall. Figures 7-9 present the ranking of the metered basins based on the observed wet weather flows.

Figure 6
Wet Weather Flow
Meter Site Whitecap 013




Table 6
Laguna Basin Wet Weather Flow Summary

Meter	Pipe Diameter (in)	Basin Footage (lf)	Storm Event Date	Basin Rainfall (in)	Cumulative Storm Event Volume (mg)	Equivalent Base Flow Volume (mg)	RDII Volume (mgd)	Peak Flow Rate (mgd)	Peaking Factor	Maximum Level (in)	Maximum d/D	Discrete RDII (mg)	Discrete RDII (mg/in)	Discrete RDII (gal/in/lf)			
001	18	47499	9/16	0.62	0.41	0.40	0.01	0.47	1.2	11.01	61.2%	0.01	0.02	0.41			
			9/28 - 9/29	1.54	0.79	0.65	0.14	0.54	1.7	10.78	59.9%	0.14	0.09	1.85			
			4/28 - 4/30	1.83	0.90	0.88	0.02	0.33	1.1	11.59	64.4%	0.02	0.01	0.24			
			5/11 - 5/12	2.19	0.66	0.64	0.01	0.36	1.1	12.29	68.3%	0.01	0.01	0.14			
			6/30	0.73	0.37	0.36	0.01	0.39	1.1	13.03	72.4%	0.01	0.01	0.22			
			Average										0.03	0.57			
003	15	38595	9/16	0.55	0.19	0.18	0.02	0.24	1.4	10.80	72.0%	0.02	0.03	0.74			
			9/28 - 9/29	1.93	0.26	0.24	0.01	0.20	1.7	9.92	66.1%	0.01	0.01	0.19			
			4/28 - 4/30	2.30	0.51	0.47	0.03	0.41	2.6	13.34	89.0%	0.03	0.01	0.36			
			5/11 - 5/12	1.85	0.35	0.29	0.06	0.41	2.8	14.72	98.1%	0.06	0.03	0.85			
			6/30	0.91	0.19	0.17	0.02	0.24	1.4	10.16	67.8%	0.02	0.02	0.51			
			Average										0.02	0.53			
004	12	29414	9/16	0.80	0.10	0.07	0.02	0.19	2.6	14.95	124.6%	0.02	0.03	1.06			
			9/28 - 9/29	2.05	0.19	0.18	0.02	0.22	2.5	16.15	134.6%	0.02	0.01	0.32			
			4/28 - 4/30	2.50	0.45	0.39	0.06	1.07	8.1	40.64	338.7%	0.06	0.02	0.82			
			5/11 - 5/12	2.39	0.33	0.31	0.02	0.34	2.2	16.03	133.6%	0.02	0.01	0.29			
			6/30	0.99	0.15	0.14	0.01	0.29	2.1	14.07	117.2%	0.01	0.02	0.51			
			Average										0.02	0.60			
005	15	27393	9/16	0.37	0.20	0.20	0.00	0.27	1.4	4.84	32.3%	0.00	0.01	0.21			
			9/28 - 9/29	2.21	0.31	0.29	0.02	0.46	3.2	13.70	91.3%	0.02	0.01	0.38			
			4/28 - 4/30	2.47	0.37	0.45	0.00	0.21	1.4	4.29	28.6%	0.00	0.00	0.00			
			5/11 - 5/12	2.12	0.46	0.44	0.01	0.32	1.5	5.34	35.6%	0.01	0.01	0.25			
			6/30	0.97	0.28	0.27	0.01	0.33	1.2	5.46	36.4%	0.01	0.01	0.23			
			Average										0.01	0.21			
006/007	24	38295	9/16	0.65	0.29	0.27	0.02	0.55	2.0	11.06	46.1%	0.02	0.03	0.71			
			9/28 - 9/29	2.12	0.64	0.54	0.10	0.51	1.9	10.77	44.9%	0.10	0.05	1.19			
			4/28 - 4/30	2.49	1.97	1.61	0.36	1.38	2.6	13.82	57.6%	0.36	0.15	3.82			
			5/11 - 5/12	2.15	1.08	1.06	0.02	0.83	1.6	10.49	43.7%	0.02	0.01	0.26			
			6/30	0.99	0.51	0.49	0.03	0.72	1.5	9.97	41.6%	0.03	0.03	0.71			
			Average										0.05	1.34			
008	15	26458	9/16	0.75	Surcharged, No Velocity					20.23	134.9%	Surcharged, No Velocity					
			9/28 - 9/29	2.08	Surcharged, No Velocity					26.72	178.1%	Surcharged, No Velocity					
			4/28 - 4/30	2.49	Surcharged, No Velocity					50.62	337.5%	Surcharged, No Velocity					
			5/11 - 5/12	2.25	Surcharged, No Velocity					26.55	177.0%	Surcharged, No Velocity					
			6/30	0.99	Surcharged, No Velocity					15.39	102.6%	Surcharged, No Velocity					
			Average										0.03	0.68			
009	12	44002	9/16	0.47	0.34	0.33	0.01	0.55	1.7	14.40	120.0%	0.01	0.02	0.42			
			9/28 - 9/29	2.22	0.68	0.64	0.04	0.51	1.6	16.92	141.0%	0.04	0.02	0.40			
			4/28 - 4/30	2.62	1.02	0.92	0.10	0.55	1.8	35.37	294.7%	0.10	0.04	0.85			
			5/11 - 5/12	1.65	0.76	0.63	0.12	0.55	1.7	33.93	282.7%	0.12	0.07	1.69			
			6/30	1.02	0.38	0.38	0.00	0.49	1.3	9.32	77.7%	0.00	0.00	0.03			
			Average										0.03	0.68			
010	12	24643	4/28 - 4/30	2.75	0.12	0.13	0.00	0.22	5.3	13.85	115.4%	0.00	0.00	0.00			
			5/11 - 5/12	1.41	0.10	0.09	0.01	0.15	3.4	2.87	23.9%	0.01	0.01	0.38			
			6/30	1.07	0.06	0.06	0.00	0.15	2.5	2.69	22.4%	0.00	0.00	0.12			
			Average										0.00	0.17			
			011	12	11746	9/16	0.83	0.06	0.06	0.00	0.08	1.3	5.47	45.6%	0.00	0.00	0.02
			9/28 - 9/29	2.04	0.14	0.13	0.00	0.10	1.5	5.74	47.8%	0.00	0.00	0.04			
012	8	17320	4/28 - 4/30	2.48	0.10	0.08	0.02	0.27	9.8	25.12	314.0%	0.02	0.01	0.49			
			5/11 - 5/12	2.36	0.08	0.06	0.03	0.36	12.4	18.58	232.2%	0.03	0.01	0.66			
			6/30	0.98	0.04	0.04	0.00	0.09	2.3	2.24	28.0%	0.00	0.00	0.29			
			Average										0.01	0.48			
												Total	0.17				

Definitions

Basin Rainfall - Average rainfall across basin
 Cumulative Storm Event Volume - Total flow recorded at meter site
 Equivalent Base Flow Volume - Dry weather average flow for storm duration.
 Rainfall Derived I/I Volume - Storm event volume minus equivalent base flow volume
 Peak Flow Rate - Observed peak flow rate during storm event
 Peaking Factor - Peak rate divided by average dry weather flow rate
 Maximum Level - Recorded maximum flow level during storm events
 Maximum d/D - Ratio of maximum recorded depth of flow to pipe diameter
 Discrete RDII (million gallons per inch of rainfall) - RDII divided by rainfall
 Discrete RDII (gallons per inch of rainfall per linear foot) - RDII divided by rainfall divided by sub area footage

Table 7
Whitecap Basin Wet Weather Flow Summary

Meter	Pipe Diameter (in)	Basin Footage (lf)	Storm Event Date	Basin Rainfall (in)	Cumulative Storm Event Volume (mg)	Equivalent Base Flow Volume (mg)	RDII Volume (mgd)	Peak Flow Rate (mgd)	Peaking Factor	Maximum Level (in)	Maximum d/D	Discrete RDII (mg)	Discrete RDII (mg/in)	Discrete RDII (gal/in/lf)
013	18	53278	9/16	0.77	0.28	0.27	0.01	0.71	2.7	7.64	42.4%	0.01	0.01	0.22
			9/28 - 9/29	2.27	0.64	0.53	0.11	0.70	2.6	9.07	50.4%	0.11	0.05	0.89
			4/28 - 4/30	1.10	0.84	0.77	0.07	0.92	3.6	55.13	306.3%	0.07	0.06	1.16
			5/11 - 5/12	1.50	0.55	0.52	0.03	0.50	1.9	7.47	41.5%	0.03	0.02	0.31
			6/30	0.79	0.30	0.30	0.01	0.38	1.3	5.95	33.0%	0.01	0.01	0.14
			7/16 - 7/17	1.70	0.61	0.57	0.04	0.61	2.1	7.37	41.0%	0.04	0.02	0.45
			Average										0.03	0.53
014/20	8	42518	9/16	0.73	0.08	0.06	0.02	0.14	2.4	7.38	92.3%	0.02	0.02	0.58
			9/28 - 9/29	2.24	0.15	0.13	0.02	0.14	2.2	7.96	99.5%	0.02	0.01	0.21
			4/28 - 4/30	1.52	0.41	0.40	0.01	0.28	2.1	58.16	727.0%	0.01	0.01	0.12
			5/11 - 5/12	0.88	0.32	0.29	0.03	0.24	1.6	9.45	118.1%	0.03	0.04	0.86
			6/30	1.01	0.16	0.16	0.00	0.24	1.6	8.64	108.0%	0.00	0.00	0.02
			7/16 - 7/17	1.66	0.33	0.32	0.01	0.24	1.5	8.94	111.7%	0.01	0.01	0.14
			Average										0.01	0.32
015	18	47015	9/16	0.72	0.15	0.12	0.03	0.62	5.2	56.02	311.2%	0.03	0.04	0.93
			9/28 - 9/29	2.23	0.29	0.21	0.08	0.77	7.2	45.70	253.9%	0.08	0.04	0.76
			5/11 - 5/12	0.89	0.40	0.28	0.12	0.40	2.9	4.26	23.7%	0.12	0.14	2.92
			6/30	0.92	0.17	0.16	0.00	0.39	2.4	4.51	25.1%	0.00	0.00	0.07
			7/16 - 7/17	1.66	0.23	0.18	0.05	0.22	2.4	3.35	18.6%	0.05	0.03	0.60
			Average										0.05	1.06
016	36	82687	9/16	0.79	1.80	1.64	0.17	2.84	1.7	23.03	64.0%	0.11	0.14	1.74
			9/28 - 9/29	2.22	3.24	2.70	0.54	2.42	1.8	21.82	60.6%	0.26	0.12	1.44
			4/28 - 4/30	1.68	6.10	4.05	2.05	4.23	3.1	42.57	118.2%	1.48	0.88	10.65
			5/11 - 5/12	1.03	2.63	2.52	0.11	2.14	1.7	15.34	42.6%	0.00	0.00	0.00
			6/30	0.68	1.66	1.60	0.05	2.62	1.6	18.26	50.7%	0.02	0.03	0.34
			7/16 - 7/17	1.67	3.06	2.83	0.23	2.23	1.6	15.47	43.0%	0.15	0.09	1.05
			Average										0.21	2.54
017/018	18	38134	9/16	0.73	0.23	0.21	0.02	0.34	1.6	5.12	28.4%	0.02	0.02	0.59
			9/28 - 9/29	2.24	0.56	0.42	0.14	0.38	1.8	5.40	30.0%	0.14	0.06	1.63
			4/28 - 4/30	1.30	0.74	0.38	0.36	1.83	14.5	21.76	120.9%	0.36	0.28	7.24
			5/11 - 5/12	1.34	0.38	0.35	0.03	0.36	2.0	3.90	21.7%	0.03	0.02	0.61
			6/30	0.70	0.21	0.18	0.03	0.27	1.6	3.47	19.3%	0.03	0.04	1.09
			7/16 - 7/17	1.68	0.28	0.26	0.03	0.22	1.7	3.48	19.3%	0.03	0.02	0.41
			Average										0.07	1.93
019	21	11304	9/16	1.00	0.66	0.65	0.01	1.00	1.5	16.77	79.8%	0.01	0.01	0.89
			9/28 - 9/29	2.27	1.26	1.25	0.01	0.96	1.5	16.15	76.9%	0.01	0.00	0.28
			4/28 - 4/30	1.32	1.80	1.66	0.14	1.22	2.2	36.31	172.9%	0.14	0.10	9.18
			5/11 - 5/12	1.33	1.43	1.33	0.10	1.13	1.7	14.34	68.3%	0.10	0.08	6.65
			6/30	0.85	0.72	0.72	0.00	0.96	1.3	13.27	63.2%	0.00	0.00	0.00
			7/16 - 7/17	1.68	1.59	1.59	0.01	1.30	1.6	14.51	69.1%	0.01	0.00	0.32
			Average										0.03	2.89
														Total 0.41

Definitions

Basin Rainfall - Average rainfall across basin
Cumulative Storm Event Volume - Total flow recorded at meter site
Equivalent Base Flow Volume - Dry weather average flow for storm duration.
Rainfall Derived I/I Volume - Storm event volume minus equivalent base flow volume
Peak Flow Rate - Observed peak flow rate during storm event
Peaking Factor - Peak rate divided by average dry weather flow rate
Maximum Level - Recorded maximum flow level during storm events
Maximum d/D - Ratio of maximum recorded depth of flow to pipe diameter
Discrete RDII (million gallons per inch of rainfall) - RDII divided by rainfall
Discrete RDII (gallons per inch of rainfall per linear foot) - RDII divided by rainfall divided by sub area footage

Table 8
Allison Basin Wet Weather Flow Summary

Meter	Pipe Diameter (in)	Basin Footage (lf)	Storm Event Date	Basin Rainfall (in)	Cumulative Storm Event Volume (mg)	Equivalent Base Flow Volume (mg)	RDII (mg)	Peak Flow Rate (mgd)	Peaking Factor	Maximum Level (in)	Maximum d/D	Discrete RDII (mg)	Discrete RDII (mg/in)	Discrete RDII (gal/in/lf)
021	27	137480	9/16	0.34	1.26	1.20	0.07	2.48	2.4	5.28	19.6%	0.05	0.14	0.99
			9/28 - 9/29	1.34	5.25	3.97	1.29	4.22	2.1	6.75	25.0%			*Note 1
			4/28 - 4/30	2.34	3.62	2.39	1.23	2.30	2.9	5.10	18.9%	0.99	0.42	3.08
			6/7	0.45	1.92	1.43	0.49	2.78	2.0	5.82	21.5%	0.47	1.04	7.55
			6/30	0.65	1.35	1.07	0.28	1.61	1.5	4.44	16.5%	0.28	0.42	3.09
			7/16 - 7/17	2.84	3.45	3.15	0.30	2.27	1.4	5.24	19.4%	0.26	0.09	0.65
			Average										0.42	3.07
022	27	35245	9/16	0.32	1.85	1.80	0.05	2.95	1.6	30.93	114.6%	0.00	0.00	0.00
			9/28 - 9/29	1.64	4.75	3.61	1.14	3.08	1.7	36.78	136.2%	0.00	0.00	0.00
			4/28 - 4/30	3.12	5.86	4.77	1.09	3.81	2.4	137.72	510.1%	0.00	0.00	0.00
			5/11 - 5/12	2.95	3.35	3.18	0.17	5.33	3.3	92.00	340.7%	0.00	0.00	0.00
			6/7	0.69	2.00	1.85	0.15	2.57	1.4	47.27	175.1%	0.00	0.00	0.00
			6/30	0.62	1.38	1.50	0.00	2.75	1.8	26.12	96.8%	0.00	0.00	0.00
			7/16 - 7/17	2.45	4.74	3.18	1.56	4.67	2.9	94.15	348.7%	1.26	0.52	14.61
			Average										0.07	2.09
023	24	91897	9/16	0.50	0.21	0.19	0.02	0.39	2.1	4.27	17.8%	0.02	0.04	0.47
			4/28 - 4/30	3.08	0.69	0.45	0.24	1.57	10.4	7.64	31.8%	0.24	0.08	0.84
			5/11 - 5/12	2.68	0.40	0.34	0.06	0.46	2.7	4.27	17.8%	0.06	0.02	0.24
			6/7	0.67	0.19	0.16	0.03	0.45	2.8	4.18	17.4%	0.03	0.04	0.41
			6/30	0.55	0.17	0.16	0.00	0.25	1.5	3.22	13.4%	0.00	0.00	0.04
			7/16 - 7/17	2.67	0.36	0.32	0.04	0.36	2.3	3.77	15.7%	0.04	0.02	0.18
			Average										0.03	0.36
024	24	69413	9/16	0.23	0.37	0.31	0.06	0.62	2.0	4.20	17.5%	0.02	0.10	1.48
			9/28 - 9/29	1.49	0.58	0.54	0.04	0.58	2.1	3.99	16.6%	0.00	0.00	0.00
			4/28 - 4/30	3.74	1.09	0.80	0.29	1.75	6.6	7.05	29.4%	0.17	0.04	0.64
			5/11 - 5/12	3.37	0.90	0.72	0.18	1.88	5.2	8.39	35.0%	0.03	0.01	0.13
			6/7	0.88	0.16	0.11	0.04	0.66	5.8	2.64	11.0%	0.03	0.03	0.44
			6/30	0.39	0.30	0.27	0.03	0.43	1.6	3.31	13.8%	0.02	0.05	0.66
			7/16 - 7/17	2.70	0.58	0.35	0.23	0.64	3.6	4.04	16.8%	0.20	0.07	1.05
			Average										0.04	0.63
025	24	77551	9/16	0.16	0.34	0.34	0.00	0.62	1.8	5.08	21.2%	0.00	0.02	0.30
			9/28 - 9/29	1.52	0.69	0.53	0.17	0.84	3.2	5.26	21.9%	0.16	0.10	1.32
			4/28 - 4/30	3.32	0.87	0.19	0.67	6.36	99.3	117.49	489.5%	0.65	0.20	2.54
			5/11 - 5/12	2.48	0.67	0.42	0.25	3.18	15.0	22.66	94.4%	0.23	0.09	1.17
			6/7	0.48	0.30	0.27	0.03	0.61	2.3	4.36	18.2%	0.01	0.02	0.32
			6/30	0.59	0.25	0.23	0.02	0.38	1.6	3.64	15.2%	0.02	0.03	0.42
			7/16 - 7/17	2.53	0.65	0.45	0.21	0.67	3.0	4.73	19.7%	0.18	0.07	0.91
			Average										0.08	1.00
026	30	113035	9/16	0.20	1.05	0.99	0.05	1.84	1.8	50.51	168.4%	0.00	0.00	0.00
			9/28 - 9/29	1.58	1.48	1.41	0.07	2.02	2.9	52.03	173.4%	0.02	0.02	0.13
			Average										0.01	0.07
027	18	104599	9/16	0.03	0.03	0.04	0.00	0.13	3.3	2.45	13.6%	0.00	0.00	0.00
			9/28 - 9/29	1.54	0.13	0.12	0.01	0.20	3.4	2.97	16.5%	0.01	0.01	0.07
			4/28 - 4/30	3.06	0.19	0.17	0.02	0.55	9.7	5.49	30.5%	0.02	0.01	0.07
			5/11 - 5/12	1.70	0.13	0.11	0.02	0.19	3.4	2.73	15.2%	0.02	0.01	0.12
			6/7	0.12	0.10	0.08	0.02	0.33	4.2	4.13	22.9%	0.02	0.16	1.51
			6/30	0.75	0.04	0.06	0.00	0.09	1.5	1.80	10.0%	0.00	0.00	0.00
			7/16 - 7/17	2.38	0.14	0.11	0.03	0.16	3.0	2.64	14.7%	0.03	0.01	0.12
			Average										0.03	0.27
028	18	54542	9/16	0.19	0.23	0.19	0.04	0.41	2.1	4.51	25.1%	0.04	0.20	3.72
			9/28 - 9/29	1.42	0.41	0.36	0.05	0.40	2.2	4.56	25.4%	0.05	0.03	0.61
			4/28 - 4/30	3.73	0.71	0.59	0.12	1.18	6.0	7.78	43.2%	0.12	0.03	0.59
			5/11 - 5/12	3.39	0.45	0.30	0.15	1.13	7.5	7.70	42.8%	0.15	0.04	0.79
			6/7	0.89	0.19	0.17	0.02	0.39	2.3	4.47	24.8%	0.02	0.02	0.35
			6/30	0.39	0.20	0.19	0.01	0.25	1.4	3.66	20.3%	0.01	0.02	0.38
			7/16 - 7/17	2.71	0.42	0.38	0.04	0.41	2.1	4.53	25.2%	0.04	0.01	0.26
			Average										0.05	0.96
													Total	0.74

*Note 1 - Upstream meter not operational

Definitions

Basin Rainfall - Average rainfall across basin
Cumulative Storm Event Volume - Total flow recorded at meter site
Equivalent Base Flow Volume - Dry weather average flow for storm duration.
Rainfall Derived I/I Volume - Storm event volume minus equivalent base flow volume
Peak Flow Rate - Observed peak flow rate during storm event
Maximum Level - Recorded maximum flow level during storm events
Maximum d/D - Ratio of maximum recorded depth of flow to pipe diameter
Discrete RDII (million gallons per inch of rainfall) - RDII divided by rainfall
Discrete RDII (gallons per inch of rainfall per linear foot) - RDII divided by rainfall divided by sub area footage

Figure 7
RDII Priority Ranking of Laguna Meter Basins




Figure 8
RDII Priority Ranking of Whitecap Meter Basins





Figure 9
RDII Priority Ranking of Allison Meter Basins



Figures 10-12 present a summary of peak flow rates recorded in 2012 and 2013 compared to a representative average dry weather day. Peak flow rates are a qualitative measure of the impact of wet weather on the collection system. Peak flow can be affected by bottlenecks in the system due to inadequate capacity, roots, broken pipe, etc. In addition, the peak flow rate will normally be reduced due to pumping stations equalizing flows (cutting off peak flow rates). High peak flows will also create elevated depth of flow in the pipelines. Wet weather surcharging was observed during at least one of the analyzed rain events at Laguna meter sites 004, 008, 009, 010 and 012, Whitecap meter sites 013, 014, 015, 016, 017 and 019, and Allison meter sites 022, 025 and 026.

Figure 10
Laguna Peak Flow Rates
Dry Weather versus Wet Weather Comparison




Figure 11
Whitecap Peak Flow Rates
Dry Weather versus Wet Weather Comparison





Figure 12
Allison Peak Flow Rates
Dry Weather versus Wet Weather Comparison



The calculated RDII rate is 0.17 million gallons per inch of rainfall for the monitored areas of the Laguna basin, 0.41 million gallons per inch of rainfall for the monitored areas of the Whitecap basin and 0.74 million gallons per inch of rainfall for the monitored areas of the Allison basin based on the wet weather analysis. The RDII value is highly variable and is dependent on soil moisture conditions prior to the rainfall event. The data presented in this report is based on a lower than normal rainfall season. Using the normal annual precipitation of 30.13 inches, the annual projected wet weather RDII for the monitored areas is 39.8 million gallons (1.32 mg/in x 30.13 inches).

Rainfall distribution over the collection system is critical in the analysis of wet weather flows. Localized rainfall can be very heavy over one area and no rainfall in an adjacent area. Rainfall gauges provide detailed information at points across the study area, but do not provide information on the rainfall between the gauges. Various mathematical models for distributing the rainfall between gauges have been developed. The rainfall distribution methodology for this project uses the nine rain gauges and ESRI spatial analyst operating with the GIS mapping system. The rain gauges provide precipitation estimates that are stored as points within the GIS maps. This “point” precipitation is used by the ESRI software to distribute rainfall between the rain gauges thus determining the rainfall across the entire study area. The resulting data provides detailed rainfall over each meter drainage basin.

Figures 13 and 14 present a graphical picture of the rainfall distribution for two of the analyzed storm events, September 16, 2012 and September 28-29, 2012. In Figure 13, for example, total rainfall for the period ranged from a low of 0.47 inches on the southern portion of Laguna Madre to a high of 0.74 inches for the northern portion of the basin.

Figure 13
September 16, 2012 Rainfall Distribution Map





Figure 14
September 28&29, 2012 Rainfall Distribution Map



III. Priority Ranking of Basins

Tables 9-11 present one method of ranking the monitored basins of the three drainage areas. The basins were arranged in descending order of rainfall dependent infiltration/inflow per inch per linear foot of sewer (RDII/in/lf). Note that the data presents an average of the storm events using the rainfall distribution data. These values are qualitative in nature and are highly dependent on basin boundaries.

The linear footage within each basin was determined from the GIS maps. The ranking is highly dependent on the linear feet of pipeline within each basin. The results or this priority ranking are presented in Figures 15-17. Based on the storm events analyzed, the distribution of rainfall dependent infiltration/inflow (RDII) is widespread.

Table 9
Ranking of Laguna Basins

Ranking	Laguna Meter Site	Basin Footage (ft)	Discrete RDII (mg/in)	Cumulative Footage (ft)	% of Total Footage	Cumulative RDII (mg/in)	% of Total RDII
1	006/007	38,295	0.05	38,295	14%	0.05	29%
2	009	44,002	0.03	82,297	30%	0.08	47%
3	004	29,414	0.02	111,711	40%	0.1	59%
4	001	47,499	0.03	159,210	57%	0.13	76%
5	003	38,595	0.02	197,805	71%	0.15	88%
6	012	17,320	0.01	215,125	77%	0.16	94%
7	005	27,393	0.01	242,518	87%	0.17	100%
8	010	24,643	0	267,161	96%	0.17	100%
9	011	11,746	0	278,907	100%	0.17	100%

Table 10
Ranking of Whitecap Basins

Ranking	Whitecap Meter Site	Basin Footage (ft)	Discrete RDII (mg/in)	Cumulative Footage (ft)	% of Total Footage	Cumulative RDII (mg/in)	% of Total RDII
1	019	11,304	0.03	11,304	4%	0.03	8%
2	016	82,687	0.21	93,991	34%	0.24	60%
3	017/018	38,134	0.07	132,125	48%	0.31	78%
4	015	47,015	0.05	179,140	65%	0.36	90%
5	013	53,278	0.03	232,418	85%	0.39	98%
6	014/020	42,518	0.01	274,936	100%	0.4	100%

Table 11
Ranking of Allison Basins

Ranking	Allison Meter Site	Basin Footage (ft)	Discrete RDII (mg/in)	Cumulative Footage (ft)	% of Total Footage	Cumulative RDII (mg/in)	% of Total RDII
1	021	137,480	0.42	137,480	20%	0.42	58%
2	022	35,245	0.07	172,725	25%	0.49	67%
3	025	77,551	0.08	250,276	37%	0.57	78%
4	028	54,542	0.05	304,818	45%	0.62	85%
5	024	69,413	0.04	374,231	55%	0.66	90%
6	023	91,897	0.03	466,128	68%	0.69	95%
7	027	104,599	0.03	570,727	83%	0.72	99%
8	026	113,035	0.01	683,762	100%	0.73	100%

Figure 15
Laguna RDII Distribution by Priority




Figure 16
Whitecap RDII Distribution by Priority





Figure 17
Allison RDII Distribution by Priority



IV. Conclusions and Recommendations

Extraneous water from infiltration/inflow (I/I) sources reduces the capacity of the collection system to transport wastewater and may result in Sanitary Sewer Overflows (SSO's). Groundwater may enter the collection system through defects such as open pipe joints, cracks, broken pipe, dropped joints, etc. Inflow (Rainfall Dependent Infiltration/Inflow – RDII) normally occurs when rainfall enters the sewer system through yard drains, missing cleanout caps, roof leaders, manhole covers and frame seals, storm sewer cross connections, etc.

This report quantifies the existing wastewater flows and extraneous infiltration/inflow (I/I) (based on very limited rainfall data). Following is a summary of conclusions and recommendations:


1. Dry weather flows are adequately transported and treated without overflow. The dry weather flows are highly influenced by pumping stations. Peak flows recorded during the monitoring will be dependent on pump station capacity. Excessive debris in the lines reduces capacity.
2. Using the normal annual precipitation of 30.13 inches, the annual projected wet weather RDII for the monitored areas is 39.8 million gallons (1.32 mg/in x 30.13 inches).
3. Hydraulic data from twenty-seven (27) metering sites and twelve (12) rainfall gauges has been compiled. Supporting data is included in appendices and electronic files accompany this report. This data will be used for hydraulic model calibration and establishing the benchmark for SSO abatement efforts.
4. Priority ranking of basins based on RDII provides guidance for analysis of wet weather infiltration/inflow alternatives.

Laguna FM001

Laguna Meter Site 001



11275LAGUNAFM001A001.jpg




11275LAGUNAFM001I002.jpg




11275LAGUNAFM001P003.jpg

LAGUNA MADRE RG 1




Corpus Christi, Texas
Rain Gauge Site
Laguna Madre 1



- Cleanout
- MH
- Lift Station
- Mainline
- Rain Gauge
- Metered Line

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5 7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5 Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5 7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001

Serial#: VGP

Flow vs Time (day)
Site:12275001 LAGUNA FM 001



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.5Roughness: 0.013
Slope: 0.00005

Location: LAGUNA FM 001

Site ID: 12275001


Serial#: VGP

Laguna FM003

Laguna Meter Site 003




11275LAGUNAFM003A024.jpg




11275LAGUNAFM003I025.jpg



11275LAGUNAFM003P026.jpg



Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 03

Site ID: 12275003

Serial#: VGR

Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 03

Site ID: 12275003

Serial#: VGR

Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 03

Site ID: 12275003

Serial#: VGR

Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 03

Site ID: 12275003

Serial#: VGR

Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 03

Site ID: 12275003

Serial#: VGR

Flow vs Time (day)
Site:12275003 LAGUNA FM 003



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1.25

Location: LAGUNA FM 03
Site ID: 12275003
Serial#: VGR

Laguna FM004

Laguna Meter Site 004



11275LAGUNAFM004A005.jpg




11275LAGUNAFM004I006.jpg




11275LAGUNAFM004P004.jpg

LAGUNA MADRE 4




Corpus Christi, Texas
Flow Meter Site
Laguna Madre 4



- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5 7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Flow vs Time (day)
Site:12275004 LAGUNA FM 004



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5 7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1

Location: LAGUNA FM 04

Site ID: 12275004

Serial#: WLQ

Laguna FM005

Laguna Meter Site 005



11275LAGUNAFM005A040.jpg




11275LAGUNAFM005I041.jpg




11275LAGUNAFM005P042.jpg

LAGUNA MADRE 5



Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 04/15/13 00:00-04/29/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25Roughness: 0.013
Slope: 0.0008

Location: LAGUNA FM 005
Site ID: 11275005
Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5 7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25 Roughness: 0.013
Slope: 0.0008

Location: LAGUNA FM 005

Site ID: 11275005

Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25Roughness: 0.013
Slope: 0.0008

Location: LAGUNA FM 005

Site ID: 11275005

Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM


Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25Roughness: 0.013
Slope: 0.0008

Location: LAGUNA FM 005

Site ID: 11275005

Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Manning Equation

Shape: Round Pipe

Diameter(ft): 1.25 Roughness: 0.013


Slope: 0.0008

Location: LAGUNA FM 005

Site ID: 11275005

Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 06/24/13 00:00-07/08/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25Roughness: 0.013
Slope: 0.0008

Location: LAGUNA FM 005
Site ID: 11275005
Serial#: WK9

Flow vs Time (day)
Site:12275005 LAGUNA FM 005



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Manning Equation
Shape: Round Pipe
Diameter(ft): 1.25Roughness: 0.013
Slope: 0.0008


Location: LAGUNA FM 005
Site ID: 11275005
Serial#: WK9

Laguna FM006

Laguna Meter Site 006



11275LAGUNAFM006A007.jpg




11275LAGUNAFM006I008.jpg




11275LAGUNAFM006P012.jpg

LAGUNA MADRE 6



Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 08/22/12-09/05/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1.25


Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)

Site:11275006 LAGUNA FM 006



Daterange: 09/05/12-09/19/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 09/19/12-10/03/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 10/03/12-10/17/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 10/17/12-10/31/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)
Site: 11275006 LAGUNA FM 006




Daterange: 10/31/12-11/14/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1.25

Location: LAGUNA FM SITE 006
Site ID: 11275006
Serial #: WLV

Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 11/14/12-11/28/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Flow vs Time (week)
Site:11275006 LAGUNA FM 006



Daterange: 11/28/12-12/12/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1.25

Location: LAGUNA FM SITE 006

Site ID: 11275006

Serial#: WLV

Laguna FM007

Laguna Meter Site 007



11275LAGUNAFM007A009.jpg




11275LAGUNAFM007I010.jpg




11275LAGUNAFM007P011.jpg

LAGUNA MADRE 7



Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 04/15/13 00:00-04/29/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 2

Location: LAGUNA FM 007
Site ID: 12275007
Serial#: WLF

Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2

Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2

Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 2


Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Flow vs Time (day)

Site:12275007 LAGUNA FM 007



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2

Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2

Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Flow vs Time (day)
Site:12275007 LAGUNA FM 007



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 2

Location: LAGUNA FM 007

Site ID: 12275007

Serial#: WLF

Laguna FM008

Laguna Meter Site 008




11275LAGUNAFM008A016.jpg




11275LAGUNAFM008I017.jpg



11275LAGUNAFM008P018.jpg



Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Flow vs Time (day)
Site:12275008 LAGUNA FM 008



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1.25

Location: LAGUNA FM 008

Site ID: 12275008

Serial#: WK5

Laguna FM009

Laguna Meter Site 009



11275LAGUNAFM009A021.jpg




11275LAGUNAFM009I022.jpg




11275LAGUNAFM009P023.jpg

LAGUNA MADRE 9




Corpus Christi, Texas
Flow Meter Site
Laguna Madre 9



- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 04/29/13 00:00-05/13/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM 09
Site ID: 12275009
Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Flow vs Time (day)
Site:12275009 LAGUNA FM 009



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1

Location: LAGUNA FM 09

Site ID: 12275009

Serial#: VGU

Laguna FM010

Laguna Meter Site 010




11275LAGUNAFM010A001.jpg



11275LAGUNAFM010I002.jpg




11275LAGUNAFM010P003.jpg




LAGUNA MADRE 10

Corpus Christi, Texas
Flow Meter Site
Laguna Madre 10



- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 010

Site ID: 12275010

Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 010

Site ID: 12275010

Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM 010

Site ID: 12275010

Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 05/27/13 00:00-06/10/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM 010
Site ID: 12275010
Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 06/10/13 00:00-06/24/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM 010
Site ID: 12275010
Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 06/24/13 00:00-07/08/13 00:00


Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM 010
Site ID: 12275010
Serial#: VG5

Flow vs Time (day)
Site:12275010 LAGUNA FM 010



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 1

Location: LAGUNA FM 010

Site ID: 12275010


Serial#: VG5

Laguna FM011

Laguna Meter Site 011




11275LAGUNAFM011A013.jpg




11275LAGUNAFM011I014.jpg



11275LAGUNAFM011P015.jpg



Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 08/22/12-09/05/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 09/05/12-09/19/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 09/19/12-10/03/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 10/03/12-10/17/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 10/17/12-10/31/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 10/31/12-11/14/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 1

Location: LAGUNA FM SITE 011

Site ID: 11275011

Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 11/14/12-11/28/12


Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM SITE 011
Site ID: 11275011
Serial#: VG7

Flow vs Time (week)
Site:11275011 LAGUNA FM 011



Daterange: 11/28/12-12/12/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 1

Location: LAGUNA FM SITE 011
Site ID: 11275011
Serial#: VG7

Laguna FM012


Laguna Meter Site 012



11275LAGUNAFM012A001.jpg




11275LAGUNAFM012I002.jpg




11275LAGUNAFM012P003.jpg

LAGUNA 12




Corpus Christi, Texas
Flow Meter Site
Laguna Madre 12



- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line

Flow vs Time (day)

Site:12275012 LAGUNA FM 012A



Daterange: 04/15/13 00:00-04/29/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)
Site:12275012 LAGUNA FM 012A



Daterange: 04/29/13 00:00-05/13/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)
Site:12275012 LAGUNA FM 012A



Daterange: 05/13/13 00:00-05/27/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)
Site:12275012 LAGUNA FM 012A



Daterange: 05/27/13 00:00-06/10/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)
Site:12275012 LAGUNA FM 012A



Daterange: 06/10/13 00:00-06/24/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 0.666666686534882


Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)

Site:12275012 LAGUNA FM 012A



Daterange: 06/24/13 00:00-07/08/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Flow vs Time (day)
Site:12275012 LAGUNA FM 012A



Daterange: 07/08/13 00:00-07/22/13 00:00

Territory: TERRITORY 5/7/2013 11:37:07 AM

Region: LEVEL2 SYSTEM DEFINED 5/7/2013 11:37:07 AM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 0.666666686534882

Location: LAGUNA FM 012A

Site ID: 12275012

Serial#: WLH

Whitecap FM013

Whitecap Meter Site 013




11275WHITECAPFM013A019.jpg



11275WHITECAPFM013I020.jpg



11275WHITECAPFM013P021.jpg




WHITECAP 13

Corpus Christi, Texas
Flow Meter Site
W.H. 12




- Cleanout
 - MH
 -  Lift Station
 -  Mainline
 -  Flow Meter


Whitecap 013 (04/16/13 to 04/30/13)




Whitecap 013 (04/30/13 to 05/14/13)




Whitecap 013 (05/14/13 to 05/28/13)




Whitecap 013 (05/28/13 to 06/11/13)




Whitecap 013 (06/11/13 to 06/25/13)




Whitecap 013 (06/25/13 to 07/09/13)



Whitecap 013 (07/09/13 to 07/23/13)



Whitecap 013 (07/23/13 to 08/06/13)



Whitecap FM014

Whitecap Meter Site 014




11275WHITECAPFM014A022.jpg




11275WHITECAPFM014I023.jpg




11275WHITECAPFM014P024.jpg




Whitecap 014 (04/16/13 to 04/30/13)




Whitecap 014 (04/30/13 to 05/14/13)




Whitecap 014 (05/14/13 to 05/28/13)




Whitecap 014 (05/28/13 to 06/11/13)




Whitecap 014 (06/11/13 to 06/25/13)




Whitecap 014 (06/25/13 to 07/09/13)



Whitecap 014 (07/09/13 to 07/23/13)



Whitecap 014 (07/23/13 to 08/06/13)




Whitecap FM015

Whitecap Meter Site 015




11275WHITECAPFM015A025.jpg




11275WHITECAPFM015I026.jpg




11275WHITECAPFM015P027.jpg




Whitecap 015 (04/16/13 to 04/30/13)




Whitecap 015 (04/30/13 to 05/14/13)




Whitecap 015 (05/14/13 to 05/28/13)




Whitecap 015 (05/28/13 to 06/11/13)




Whitecap 015 (06/11/13 to 06/25/13)




Whitecap 015 (06/25/13 to 07/09/13)



Whitecap 015 (07/09/13 to 07/23/13)



Whitecap 015 (07/23/13 to 08/06/13)



Whitecap FM016

Whitecap Meter Site 016



11275WHITECAPFM016A028.jpg




11275WHITECAPFM016I029.jpg




11275WHITECAPFM016P030.jpg


WHITECAP 16




Whitecap 016 (04/16/13 to 04/30/13)




Whitecap 016 (04/30/13 to 05/14/13)




Whitecap 016 (05/14/13 to 05/28/13)




Whitecap 016 (05/28/13 to 06/11/13)




Whitecap 016 (06/11/13 to 06/25/13)




Whitecap 016 (06/25/13 to 07/09/13)



Whitecap 016 (07/09/13 to 07/23/13)



Whitecap 016 (07/23/13 to 08/06/13)



Whitecap FM017

Whitecap Meter Site 017




11275WHITECAPFM017A031.jpg




11275WHITECAPFM017I032.jpg




11275WHITECAPFM017P033.jpg




Whitecap 017 (04/16/13 to 04/30/13)




Whitecap 017 (04/30/13 to 05/14/13)




Whitecap 017 (05/14/13 to 05/28/13)




Whitecap 017 (05/28/13 to 06/11/13)




Whitecap 017 (06/11/13 to 06/25/13)




Whitecap 017 (06/25/13 to 07/09/13)



Whitecap 017 (07/09/13 to 07/23/13)



Whitecap 017 (07/23/13 to 08/06/13)




Whitecap FM018

Whitecap Meter Site 018




11275WHITECAPFM018A034.jpg




11275WHITECAPFM018I035.jpg



11275WHITECAPFM018P036.jpg



Flow vs Time (week)
Site:11275018 WHITECAP FM 018



Daterange: 08/22/12-09/05/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.66667

Location: WHITECAP FM 018

Site ID: 11275018

Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018



Daterange: 09/05/12-09/19/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.666667

Location: WHITECAP FM 018

Site ID: 11275018

Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018




Daterange: 09/19/12-10/03/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 0.66667

Location: WHITECAP FM 018
Site ID: 11275018
Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018




Daterange: 10/03/12-10/17/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 0.66667

Location: WHITECAP FM 018
Site ID: 11275018
Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018



Daterange: 10/17/12-10/31/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 0.66667

Location: WHITECAP FM 018

Site ID: 11275018

Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018




Daterange: 10/31/12-11/14/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 0.66667

Location: WHITECAP FM 018
Site ID: 11275018
Serial#: VGY

Flow vs Time (week)
Site:11275018 WHITECAP FM 018



Daterange: 11/14/12-11/28/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe

Diameter(ft): 0.66667

Location: WHITECAP FM 018

Site ID: 11275018

Serial#: VGY

Whitecap FM019

Whitecap Meter Site 019




11275WHITECAPFM019A037.jpg




11275WHITECAPFM019I038.jpg




11275WHITECAPFM019P039.jpg




Whitecap 019 (04/16/13 to 04/30/13)




Whitecap 019 (04/30/13 to 05/14/13)




Whitecap 019 (05/14/13 to 05/28/13)




Whitecap 019 (05/28/13 to 06/11/13)




Whitecap 019 (06/11/13 to 06/25/13)




Whitecap 019 (06/25/13 to 07/09/13)



Whitecap 019 (07/09/13 to 07/23/13)



Whitecap 019 (07/23/13 to 08/06/13)



Whitecap FM020

Whitecap Meter Site 020



11275WHITECAPFM020A052.jpg



11275WHITECAPFM020I053.jpg



11275WHITECAPFM020P054.jpg

EL SOCORRO LOOP

8"

8"

124104150

MORUGA DR. 8"

8"

SPADA LOOP

8"

8"

8"

8"

8"

8"

8"

12410

124105250

124105220

124104770

124105630

1241058

8"

8"

8"

8"

8"

8"

8"

8"

8"

8"

8"

124106310

8"

124106390

COQUITLAM AVE

124106340


WHITECAP 20

10"



124106960

Corpus Christi, Texas
Flow Meter Site
Whitecap 20




- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line




PIPELINE ANALYSISTM
WATER/WASTEWATER


Whitecap 020 (04/16/13 to 04/30/13)




Whitecap 020 (04/30/13 to 05/14/13)




Whitecap 020 (05/14/13 to 05/28/13)




Whitecap 020 (05/28/13 to 06/11/13)




Whitecap 020 (06/11/13 to 06/25/13)




Whitecap 020 (06/25/13 to 07/09/13)



Whitecap 020 (07/09/13 to 07/23/13)



Whitecap 020 (07/23/13 to 08/06/13)




Allison FM021

Allison Meter Site 021




11275ALLISONFM021A055.JPG




11275ALLISONFM021I056.jpg




11275ALLISONFM021P057.jpg




Allison 021 (04/16/13 to 04/30/13)




Allison 021 (04/30/13 to 05/14/13)




Allison 021 (05/14/13 to 05/28/13)




Allison 021 (05/28/13 to 06/11/13)




Allison 021 (06/11/13 to 06/25/13)




Allison 021 (06/25/13 to 07/09/13)



Allison 021 (07/09/13 to 07/23/13)



Allison 021 (07/23/13 to 08/06/13)




Allison FM022

Allison Meter Site 022



11275ALLISONFM022A015.jpg



11275ALLISONFM022I016.jpg




11275ALLISONFM022P017.jpg


ALLISON 22




Allison 022 (04/16/13 to 04/30/13)




Allison 022 (04/30/13 to 05/14/13)




Allison 022 (05/14/13 to 05/28/13)




Allison 022 (05/28/13 to 06/11/13)




Allison 022 (06/11/13 to 06/25/13)




Allison 022 (06/25/13 to 07/09/13)



Allison 022 (07/09/13 to 07/23/13)



Allison 022 (07/23/13 to 08/06/13)



Allison FM023

Allison Meter Site 023




11275ALLISONFM023A046.jpg




11275ALLISONFM023I047.jpg




11275ALLISONFM023P048.jpg




Allison 023 (04/16/13 to 04/30/13)




Allison 023 (04/30/13 to 05/14/13)




Allison 023 (05/14/13 to 05/28/13)




Allison 023 (05/28/13 to 06/11/13)




Allison 023 (06/11/13 to 06/25/13)




Allison 023 (06/25/13 to 07/09/13)



Allison 023 (07/09/13 to 07/23/13)



Allison 023 (07/23/13 to 08/06/13)




Allison FM024

Allison Meter Site 024



11275ALLISONFM024A049.jpg




11275ALLISONFM024I050.jpg



11275ALLISONFM024P051.jpg

ALLISON 24



Corpus Christi, Texas

Flow Meter Site

Allison 24


N

W E


S

- Cleanout
- MH
- Lift Station
- Mainline
- Flow Meter
- Metered Line


Allison 024 (04/16/13 to 04/30/13)




Allison 024 (04/30/13 to 05/14/13)




Allison 024 (05/14/13 to 05/28/13)




Allison 024 (05/28/13 to 06/11/13)




Allison 024 (06/11/13 to 06/25/13)




Allison 024 (06/25/13 to 07/09/13)



Allison 024 (07/09/13 to 07/23/13)



Allison 024 (07/23/13 to 08/06/13)




Allison FM025

Allison Meter Site 025




11275ALLISONFM025A043.jpg




11275ALLISONFM025I044.jpg




11275ALLISONFM025P045.jpg




Allison 025 (04/16/13 to 04/30/13)




Allison 025 (04/30/13 to 05/14/13)




Allison 025 (05/14/13 to 05/28/13)




Allison 025 (05/28/13 to 06/11/13)




Allison 025 (06/11/13 to 06/25/13)




Allison 025 (06/25/13 to 07/09/13)



Allison 025 (07/09/13 to 07/23/13)



Allison 025 (07/23/13 to 08/06/13)



Allison FM026

Allison Meter Site 026



11275ALLISONFM026A058.jpg




11275ALLISONFM026I059.jpg




11275ALLISONFM026P060.jpg

ALLISON 26



Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 08/22/12-09/05/12


Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 2.5

Location: ALLISON FM 026
Site ID: 11275026
Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 09/05/12-09/19/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2.5

Location: ALLISON FM 026

Site ID: 11275026

Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 09/19/12-10/03/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2.5

Location: ALLISON FM 026

Site ID: 11275026

Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026




Daterange: 10/03/12-10/17/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 2.5

Location: ALLISON FM 026
Site ID: 11275026
Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026




Daterange: 10/17/12-10/31/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 2.5

Location: ALLISON FM 026
Site ID: 11275026
Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 10/31/12-11/14/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2.5

Location: ALLISON FM 026

Site ID: 11275026

Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 11/14/12-11/28/12

Territory: TERRITORY 9/12/2012 3:33:09 PM

Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity

Shape: Round Pipe


Diameter(ft): 2.5

Location: ALLISON FM 026

Site ID: 11275026

Serial#: VGZ

Flow vs Time (week)
Site:11275026 ALLISON FM 026



Daterange: 11/28/12-12/12/12
Territory: TERRITORY 9/12/2012 3:33:09 PM
Region: LEVEL2 SYSTEM DEFINED 9/12/2012 3:33:09 PM

Primary Device: Area Velocity
Shape: Round Pipe
Diameter(ft): 2.5


Location: ALLISON FM 026
Site ID: 11275026
Serial#: VGZ

Allison FM027


Allison Meter Site 027



11275ALLISONFM027A061.jpg




11275ALLISONFM027I062.jpg




11275ALLISONFM027P063.jpg


ALLISON 27




Allison 027 (04/16/13 to 04/30/13)




Allison 027 (04/30/13 to 05/14/13)




Allison 027 (05/14/13 to 05/28/13)




Allison 027 (05/28/13 to 06/11/13)




Allison 027 (06/11/13 to 06/25/13)




Allison 027 (06/25/13 to 07/09/13)



Allison 027 (07/09/13 to 07/23/13)



Allison 027 (07/23/13 to 08/06/13)



Allison FM028

Allison Meter Site 028



11275ALLISONFM028A064.jpg




11275ALLISONFM028I065.jpg




11275ALLISONFM028P066.jpg


ALLISON 28




Allison 028 (04/16/13 to 04/30/13)




Allison 028 (04/30/13 to 05/14/13)




Allison 028 (05/14/13 to 05/28/13)




Allison 028 (05/28/13 to 06/11/13)




Allison 028 (06/11/13 to 06/25/13)




Allison 028 (06/25/13 to 07/09/13)



Allison 028 (07/09/13 to 07/23/13)



Allison 028 (07/23/13 to 08/06/13)



Rainfall Data

Rain Gauges



11275ALLISONRG009.JPG



11275ALLISONRG010.JPG



11275ALLISONRG011.JPG

Rain Gauges



11275ALLISONRG012.JPG




11275LAGUNARG001.JPG




11275LAGUNARG002.JPG

Rain Gauges



11275LAGUNARG003.JPG



11275LAGUNARG004.JPG



11275WHITECAPRG005.JPG

Rain Gauges



11275WHITECAPRG006.JPG




11275WHITECAPRG007.JPG




11275WHITECAPRG008.JPG


LAGUNA MADRE RG 1




Corpus Christi, Texas
Rain Gauge Site
Laguna Madre 1




- Cleanout
- MH
- Lift Station
- Mainline
- Rain Gauge
- Metered Line







LAGUNA MADRE RG 4




Corpus Christi, Texas
Rain Gauge Site
Laguna Madre 4




- Cleanout
- MH
- Lift Station
- Mainline
- Rain Gauge
- Metered Line




WHITECAP RG 6











WHITECAP RG 8






Corpus Christi, Texas Allison Service Area






Corpus Christi, Texas Allison Service Area






Corpus Christi, Texas Allison Service Area






Corpus Christi, Texas Allison Service Area






Corpus Christi, Texas Allison Service Area






Corpus Christi, Texas Laguna Service Area






Corpus Christi, Texas Laguna Service Area






Corpus Christi, Texas Laguna Service Area






Corpus Christi, Texas Laguna Service Area






Corpus Christi, Texas Whitecap Service Area






Corpus Christi, Texas Whitecap Service Area



Corpus Christi, Texas Whitecap Service Area



Corpus Christi, Texas Whitecap Service Area



Corpus Christi, Texas Whitecap Service Area

